Author Index of Volume 76

Amarilio, D.S., 21
Anneser, H., 135
Argüello, G.A., 13

Baltanás, M.A., 199
Barros, T.C., 55
Berci Filho, P., 55
Beyer, M., 217
Biczók, L., 69
Blažková, A., 159
Bräuchle, C., 135
Brauer, H.-D., 1
Breza, M., 159
Brezová, V., 159
Buchholz, F., 135

Cassano, A.E., 199
Chatterjee, D., 97
Chen, J.-N., 103
Chen, T., 91
Chiacchio, U., 127
Costa, S.M.B., 171, 185
Costanzo, L.L., 127

Das, R., 33
Davidson, R.S., 121
De Guidi, G., 127

Emig, G., 209

Fischer, E., 135
Fischer, K., 217
Forsskåhl, I., 143

Getoff, N., 69
Giuffrida, S., 127
Goto, C., 61
Grabner, G., 69
Gsponer, H.E., 13
Guglielmetti, R., 77

Haider, N., 151
Hamanoue, K., 7
Hamity, M., 83
Han, Y., 111
Han, Y.-Y., 167
Huang, C.P., 103
Husain, D., 151
Hussain, A., 97

Ibuki, K., 7

Jiang, L., 91
Jiang, Y., 111

Kabir, M., 151
Kellmann, A., 77
Kisch, H., 209
Kishi, T., 61
Köhler, G., 69
Krongauz, V., 135
Künneth, R., 209

Lapčík, L., 159
Lapčík, Jr., L., 159
Lee, C.K., 39
Lema, R.H., 83
Liu, J., 91, 121
Liu, K., 91
Lu, M.-C., 103

Martín, C.A., 199
Mitra, S., 33
Moiz, M.A., 97
Molinari, G.R., 55
Mukherjee, S., 33

Nakabayashi, K., 61
Nakayama, T., 7

Olkkonen, C., 143

Politi, M.J., 55
Pottier, E., 77

Quint, R.M., 69

Rajzmann, M., 77
Ratner, J., 135
Ray, R., 115
Roam, G.-D., 103

Samat, A., 77
Sasaki, H., 7
Satoda, H., 61

Seip, M., 1
Shen, S., 91
Shima, K., 61
Shukla, D., 47
Sortino, S., 127
Staško, A., 159
Steger, D., 217

Taqui Khan, M.M., 97
Tfibel, F., 77
Toscano, V.G., 55
Twardzik, G., 209
Tylli, H., 143

Vágó, J., 69
Varveri, F.S., 21
Vera, D.M., 13
Viseu, M.I., 171, 185

Wan, P., 39, 47
Wang, P., 27
Wu, S., 27

Xu, H., 91
Xu, L., 91

Yang, Y., 111
Yang, Y.-G., 167
Yasuda, M., 61

Zelichenok, A., 135
Zhou, Q., 91
Zhou, R., 111
Zhou, R.-L., 167

Elsevier Sequoia

3

Subject Index of Volume 76

Amphiphilic zinc phthalocyanine
structural characterization of mixed Langmuir–Blodgett multilayer assemblies consisting of amphiphilic zinc phthalocyanine and hydrophobic porphyrin by Fourier–transform IR (FTIR) spectroscopy, 91
Analogs
photophysical properties of N-alkylnaphthalimides and analogs, 55
Anion formation
proton transfer and anion formation in the ground and excited states of 4-methyl-2,6-diformyl phenol in highly polar aprotic solvents, 33
Aromatic α-azohydroperoxides
on the photochemical decomposition of aromatic α-azohydroperoxides, 69
Arylethylenethioamides
effect of cyclodextrin inclusion on the photoisomerization of arylethylenethioamides, 127

Benzaldehyde
study of the formation and photochemistry of an electron donor–acceptor (EDA) complex between benzaldehyde and methylviologen in solution, 83

Chemiluminescence
chemiluminescence of long-alkyl-chain *N*-mono- and *N,N*-disubstituted isoluminols in homogeneous and micellar media, 21
Chlorophyll
study on the constitution and photoelectrochemical character of chlorophyll cells, 167
Chlorophyll *a*
photoelectrochemical investigation of chlorophyll *a* adsorbed on SnO_2, 111
Chlorophyll-a Triplet
mechanism of photosensitized reduction of tetrazolium blue. I. Homogeneous solvent: ethanol, 171
Cross-photocycloadditions
mechanistic studies for cross-photocycloadditions of 3-vinylcoumarin derivatives to electron-rich olefins, 61
β-Cyclodextrin
preparation, characterization and photochemistry of 4,4′-diacetamidostilbene and its β-cyclodextrin inclusion complex, 121
effect of cyclodextrin inclusion on the photoisomerization of arylethylenethioamides, 127
Cyclohexene
heterogeneous photocatalysis. XI. Zinc sulphide catalysed dehydrodimerization of dihydropyrans and cyclohexene, 209

Dehydrodimerization
heterogeneous photocatalysis. XI. Zinc sulphide catalysed dehydrodimerization of dihydropyrans and cyclohexene, 209
4,4′-Diacetamidostilbene
preparation, characterization and photochemistry of 4,4′-diacetamidostilbene and its β-cyclodextrin inclusion complex, 121
1,8-Dichloroanthraquinone
formation and decay of an excited singlet charge-transfer complex (or a singlet ion pair) produced by excitation of a ground-state complex of 1,8-dichloroanthraquinone with 2,5-dimethylhexa-2,4-diene at room temperature, 7
Dichlorvos
factors affecting the photocatalytic degradation of dichlorvos over titanium dioxide supported on glass, 103
Dihydropyrans
heterogeneous photocatalysis. XI. Zinc sulphide catalysed dehydrodimerization of dihydropyrans and cyclohexene, 209
Dimethoxybenzene
product studies of electron transfer from dimethoxybenzene and trimethoxybenzene to photoexcited xanthenium cations in S_1 in aqueous acid solution, 47
4′-*N,N*-Dimethylaminoflavone
study of the temperature-dependent luminescence behaviour of 4′-*N,N*-dimethylaminoflavone derivatives, 27
2,5-Dimethylhexa-2,4-diene
formation and decay of an excited singlet charge-transfer complex (or a singlet ion pair) produced by excitation of a ground-state complex of 1,8-dichloroanthraquinone with 2,5-dimethylhexa-2,4-diene at room temperature, 7

EDTA–polypyridyl
synthesis and characteristics of mixed ligand Ru(III) complexes with EDTA–polypyridyl, and $Pt/TiO_2/RuO_2$ semiconductor particulate system modified by the complexes, 97
Effect of pH
the effect of pH on the luminescence quenching of tris(2,2′-bipyridine) ruthenium (II) by phenolic compounds, 13
Electron donor–acceptor complex
study of the formation and photochemistry of an electron donor–acceptor (EDA) complex between benzaldehyde and methylviologen in solution, 83
Electron-rich olefins
mechanistic studies for cross-photocycloadditions of 3-vinylcoumarin derivatives to electron-rich olefins, 61
Electron transfer
product studies of electron transfer from dimethoxybenzene and trimethoxybenzene to photoexcited xanthenium cations in S_1 in aqueous acid solution, 47
Ethanol
mechanism of photosensitized reduction of tetrazolium blue. I. Homogeneous solvent: ethanol, 171
Ethylene trithiocarbonate
fluorescence quenching of *o*-aminobenzoic acid by ethylene trithiocarbonate in aqueous micellar media, 115
Excitation
formation and decay of an excited singlet charge-transfer complex (or a singlet ion pair) produced by excitation of a ground-state complex of 1,8-dichloroanthraquinone with 2,5-dimethylhexa-2,4-diene at room temperature, 7

Flash photolysis
mechanism of photosensitized reduction of tetrazolium blue. I. Homogeneous solvent: ethanol, 171
Fluorescence
the luminescence of lignin-containing pulps — A comparison with the fluorescence of model compounds in several media, 217
Fluorescence quenching
fluorescence quenching of *o*-aminobenzoic acid by ethylene trithiocarbonate in aqueous micellar media, 115
FTIR spectroscopy
structural characterization of mixed Langmuir–Blodgett multilayer assemblies consisting of amphiphilic zinc phthalocyanine and hydrophobic porphyrin by Fourier–transform IR (FTIR) spectroscopy, 91

Germanium
collisional quenching of electronically excited germanium atoms, $Ge(4p^2(^1D_2))$, by unsaturated ring compounds determined by time-resolved atomic resonance absorption spectroscopy in the ultra-violet, 151
Ground and excited states
proton transfer and anion formation in the ground and excited states of 4-methyl-2,6-diformyl phenol in highly polar aprotic solvents, 33
Ground-state complex
formation and decay of an excited singlet charge-transfer complex (or a singlet ion pair) produced by excitation of a ground-state complex of 1,8-dichloroanthraquinone with 2,5-dimethylhexa-2,4-diene at room temperature, 7

Heterogeneous photocatalysis
heterogeneous photocatalysis. XI. Zinc sulphide catalysed dehydrodimerization of dihydropyrans and cyclohexene, 209
Hexamethyl phosphoric triamide
photochemical elimination of singlet oxygen from oxodiperoxomolybdenum(VI)–(hexamethyl phosphoric triamide, water). An adiabatic photoreaction originating from an upper excited electronic state, 1
Hydrophobic porphyrin
structural characterization of mixed Langmuir–Blodgett multilayer assemblies consisting of amphiphilic zinc phthalocyanine and hydrophobic porphyrin by Fourier–transform IR (FTIR) spectroscopy, 91

Langmuir–Blodgett
structural characterization of mixed Langmuir–Blodgett multilayer assemblies consisting of amphiphilic zinc phthalocyanine and hydrophobic porphyrin by Fourier–transform IR (FTIR) spectroscopy, 91
Laser excitation
effect of nitro substituents on the photochromism of some spiro[indoline-naphthopyrans] under laser excitation, 77
Lignin-containing pulps
the luminescence of lignin-containing pulps — a comparison with the fluorescence of model compounds in several media, 217
Long-alkyl-chain *N*-monosubstituted (isoluminols)
chemiluminescence of long-alkyl-chain *N*-mono- and *N,N*-disubstituted isoluminols in homogeneous and micellar media, 21
Luminescence
study of the temperature-dependent luminescence behaviour of 4′-*N,N*-dimethylaminoflavone derivatives, 27
the luminescence of lignin-containing pulps — a comparison with the fluorescence of model compounds in several media, 217
Luminescence quenching
the effect of pH on the luminescence quenching of tris(2,2′-bipyridine) ruthenium (II) by phenolic compounds, 13

4-Methyl-2,6-diformyl phenol
proton transfer and anion formation in the ground and excited states of 4-methyl-2,6-diformyl phenol in highly polar aprotic solvents, 33
Methylviologen
study of the formation and photochemistry of an electron donor–acceptor (EDA) complex between benzaldehyde and methylviologen in solution, 83
Mixed ligand Ru(III) complexes
synthesis and characteristics of mixed ligand Ru(III) complexes with EDTA–polypyridyl, and $Pt/TiO_2/RuO_2$ semiconductor particulate system modified by the complexes, 97
Multilayer assemblies
structural characterization of mixed Langmuir–Blodgett multilayer assemblies consisting of amphiphilic zinc phthalocyanine and hydrophobic porphyrin by Fourier–transform IR (FTIR) spectroscopy, 91

N-alkylnaphthalimides
photophysical properties of N-alkylnaphthalimides and analogs, 55
Nitro substituents
effect of nitro substituents on the photochromism of some spiro[indoline-naphthopyrans] under laser excitation, 77
N,N-disubstituted isoluminols
chemiluminescence of long-alkyl-chain *N*-mono- and *N,N*-disubstituted isoluminols in homogeneous and micellar media, 21

o-aminobenzoic acid
fluorescence quenching of *o*-aminobenzoic acid by ethylene trithiocarbonate in aqueous micellar media, 115
Optical behaviour
photocatalytic reactors. I. Optical behavior of titanium oxide particulate suspensions, 199
Oxodiperoxomolybdenum(VI)
photochemical elimination of singlet oxygen from oxodiperoxomolybdenum(VI)–(hexamethyl phosphoric triamide, water). An adiabatic photoreaction originating from an upper excited electronic state, 1

Phenolic compounds
the effect of pH on the luminescence quenching of tris(2,2′-bipyridine) ruthenium (II) by phenolic compounds, 13
Photocatalytic degradation
factors affecting the photocatalytic degradation of dichlorvos over titanium dioxide supported on glass, 103
Photocatalytic reactors
photocatalytic reactors. I. Optical behavior of titanium oxide particulate suspensions, 199

Photochemical decomposition
on the photochemical decomposition of aromatic α-azo-hydroperoxides, 69
Photochemical elimination
photochemical elimination of singlet oxygen from oxodi-peroxomolybdenum(VI)–(hexamethyl phosphoric triamide, water). An adiabatic photoreaction originating from an upper excited electronic state, 1
Photochromic phenoxy-naphthacene-quinone
photochemistry and multiple holographical recording in polymers with photochromic phenoxy-naphthacene-quinone side groups, 135
Photochromism
effect of nitro substituents on the photochromism of some spiro[indoline-naphthopyrans] under laser excitation, 77
Photoelectrochemical character
study on the constitution and photoelectrochemical character of chlorophyll cells, 167
Photoexcited xanthenium cations
product studies of electron transfer from dimethoxy-benzene and trimethoxybenzene to photoexcited xanthenium cations in S_1 in aqueous acid solution, 47
Photoirradiated cellulose
a spectroscopic study of photoirradiated cellulose, 143
Photoisomerization
effect of cyclodextrin inclusion on the photoisomerization of arylethylenethioamides, 127
Photoredox
photoredox chemistry of *p*-nitrophenylalanine and *p*-nitro-phenethyl amine in basic aqueous solution: formation of an observable long-lived intermediate, 39
Photosensitization
oxygen photosensitization in the presence of sodium anthracene-1-sulphonate, 159
Photosensitized reduction
mechanism of photosensitized reduction of tetrazolium blue. I. Homogeneous solvent: ethanol, 171
mechanism of photosensitized reduction of tetrazolium blue. II. Heterogeneous solvent: Triton X-100 micelles, 185
P-nitrophenethyl amine
photoredox chemistry of *p*-nitrophenylalanine and *p*-nitro-phenethyl amine in basic aqueous solution: formation of an observable long-lived intermediate, 39
P-nitrophenylalanine
photoredox chemistry of *p*-nitrophenylalanine and *p*-nitro-phenethyl amine in basic aqueous solution: formation of an observable long-lived intermediate, 39
Polymers
photochemistry and multiple holographical recording in polymers with photochromic phenoxy-naphthacene-quinone side groups, 135
Proton transfer
proton transfer and anion formation in the ground and excited states of 4-methyl-2,6-diformyl phenol in highly polar aprotic solvents, 33
Pt/TiO_2RuO_2
synthesis and characteristics of mixed ligand Ru(III) complexes with EDTA–polypyridyl, and $Pt/TiO_2/RuO_2$ semiconductor particulate system modified by the complexes, 97

Quenching
collisional quenching of electronically excited germanium atoms, $Ge(4p^2(^1D_2))$, by unsaturated ring compounds determined by time-resolved atomic resonance absorption spectroscopy in the ultra-violet, 151

Semiconductor
synthesis and characteristics of mixed ligand Ru(III) complexes with EDTA–polypyridyl, and $Pt/TiO_2/RuO_2$ semiconductor particulate system modified by the complexes, 97
Singlet excited charge-transfer complex
formation and decay of an excited singlet charge-transfer complex (or a singlet ion pair) produced by excitation of a ground-state complex of 1,8-dichloroanthraquinone with 2,5-dimethylhexa-2,4-diene at room temperature, 7
Singlet ion pair
formation and decay of an excited singlet charge-transfer complex (or a singlet ion pair) produced by excitation of a ground-state complex of 1,8-dichloroanthraquinone with 2,5-dimethylhexa-2,4-diene at room temperature, 7
Singlet oxygen
photochemical elimination of singlet oxygen from oxodi-peroxomolybdenum(VI)–(hexamethyl phosphoric triamide, water). An adiabatic photoreaction originating from an upper excited electronic state, 1
SnO_2
photoelectrochemical investigation of chlorophyll *a* adsorbed on SnO_2, 111
Sodium anthracene-1-sulphonate
oxygen photosensitization in the presence of sodium anthracene-1-sulphonate, 159
Spiro(indoline-naphthopyrans)
effect of nitro substituents on the photochromism of some spiro[indoline-naphthopyrans] under laser excitation, 77

Tetrazolium Blue
mechanism of photosensitized reduction of tetrazolium blue. I. Homogeneous solvent: ethanol, 171
mechanism of photosensitized reduction of tetrazolium blue. II. Heterogeneous solvent: Triton X-100 micelles, 185
Titanium dioxide
factors affecting the photocatalytic degradation of di-chlorvos over titanium dioxide supported on glass, 103
Titanium oxide
photocatalytic reactors. I. Optical behavior of titanium oxide particulate suspensions, 199
Trimethoxybenzenes
product studies of electron transfer from dimethoxy-benzene and trimethoxybenzene to photoexcited xanthenium cations in S_1 in aqueous acid solution, 47
Tris(2,2′-bipyridine) ruthenium (II)
the effect of pH on the luminescence quenching of tris(2,2′-bipyridine) ruthenium (II) by phenolic compounds, 13
Triton X-100 micelles
mechanism of photosensitized reduction of tetrazolium blue. II. Heterogeneous solvent: Triton X-100 micelles, 185

Ultraviolet
collisional quenching of electronically excited germanium atoms, $Ge(4p^2(^1D_2))$, by unsaturated ring compounds determined by time-resolved atomic resonance absorption spectroscopy in the ultra-violet, 151

3-Vinylcoumarin derivatives
mechanistic studies for cross-photocycloadditions of 3-vinylcoumarin derivatives to electron-rich olefins, 61

Water
photochemical elimination of singlet oxygen from oxodiperoxomolybdenum(VI)–(hexamethyl phosphoric triamide, water). An adiabatic photoreaction originating from an upper excited electronic state, 1

Zinc sulphide catalysed
heterogeneous photocatalysis. XI. Zinc sulphide catalysed dehydrodimerization of dihydropyrans and cyclohexene, 209